L Number	Hits	Search Text	DB	Time stamp
14	2	6421733.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:29
15	2	6300947.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:29
16	2	718/102,103,107,108.ccls. and ((plurality) near3 (process$5 procedur$5) near5 (assign$5 belong$5 associat$5 connect$5 join$5) same ((independent individual) near10 (CPU processor$5)) and ((process$5 complet$5) near3 (without) near3 (interrupt$5 exception$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:44
-	26426	709/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:15
-	2	5574933.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:56
-	2	5592672.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:59
-	2	5280580.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 12:03
-	2	5768572.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 12:45
-	6157	709/$.ccls. and (queu$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 12:59
-	994	(709/$.ccls. and (queu$4)) and (timer ready delay)and (FIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:11
-	712	((709/$.ccls. and (queu$4)) and (timer ready delay)and (FIFO)) and @ad<20001229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:00
-	29	(((709/$.ccls. and (queu$4)) and (timer ready delay)and (FIFO)) and @ad<20001229) and ((compar$4) near5 (delay variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:00
-	1242	709/$.ccls. and (Parallel adj process$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 12:59

-	564	(709/$.ccls. and (Parallel adj process$4)) and (queu$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 12:59
-	174	((709/$.ccls. and (Parallel adj process$4)) and (queu$4)) and (timer ready delay)and (FIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:06
-	127	(((709/$.ccls. and (Parallel adj process$4)) and (queu$4)) and (timer ready delay)and (FIFO)) and @ad<20001229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:11
-	10	((((709/$.ccls. and (Parallel adj process$4)) and (queu$4)) and (timer ready delay)and (FIFO)) and @ad<20001229) and ((compar$4) near5 (delay variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:00
-	20	((709/$.ccls. and (Parallel adj process$4)) and (queu$4)) and (timer ready delay)and ((compar$4) near5 (delay variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:13
-	3664	(709/$.ccls. and (queu$4)) and (timer ready delay)and (Queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:11
-	19989134	L16and @ad<20001229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:11
-	2426	((709/$.ccls. and (queu$4)) and (timer ready delay)and (Queue)) and @ad<20001229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:13
-	663	(((709/$.ccls. and (queu$4)) and (timer ready delay)and (Queue)) and @ad<20001229) and (Fifo)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:13
-	24	((((709/$.ccls. and (queu$4)) and (timer ready delay)and (Queue)) and @ad<20001229) and (Fifo)) and ((compar$4) near5 (delay variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:17
-	2	4625081.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:25
-	2	5446894.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:26
-	2	refifo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:30
-	1	re-fifo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 13:30

-	246	(plurality) near3 (process$5 procedur$5) near5 (assign$5 belong$5 associat$5 connect$5 join$5) same ((independent individual) near10 (CPU processor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 11:24
-	0	(plurality) near3 (processe5 procedur$5) near5 (assign$5 belong$5 associat$5 connect$5 join$5) same ((independent individual) near10 (CPU processor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 08:44
-	2	"09711634" and bernardin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 08:45
-	8	(plurality) near3 (processes task$5 procedur$5) near5 (assign$5 belong$5 associat$5 connect$5 join$5) same ((independent individual) near10 (CPU processor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 08:55
-	0	548171.pn	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 09:12
-	0	5481718.pn	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 09:12
-	2	5481718.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 09:12
-	44	((context adj switch) same (deplay$5 near10 (interrupt$4 or Exception$5))) or ((multitask$5 (multi adj3 task$5)) same ((delay$4 imprecise$5) near10 (interrupt$5 or exception$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 15:12
-	6	multitask same (time near5 (slot$4 siz$5 multiplex$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 11:05
-	5	((assign$5 allocat$5 designat$5 supply$5) near5 (time near5 (slot$5 slice$5))) same ((process$5 complet$5) near3 (without) near3 (interrupt$5 exception$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 11:08
-	10	(plurality) near3 (process$5 procedur$5) near5 (assign$5 belong$5 associat$5 connect$5 join$5) same ((independent individual) near10 (CPU processor$5)) and ((process$5 complet$5) near3 (without) near3 (interrupt$5 exception$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 13:16
-	8	((defin$5 allocat$5 suggest$5 giv$5 assign$5) near5 (execut$5 run$5 process$5) near5 (time (time adj slice) duration period) near (process$5 task$5 applications program$5 procedur$5)) and (multitask$5) and (delay differ imprecise) near10 (interrupt$5 or exception$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:07
-	520	((defin$5 allocat$5 suggest$5 giv$5 assign$5) near5 (execut$5 run$5 process$5) near5 (time (time adj slice) duration period) near (process$5 task$5 applications program$5 procedur$5)) and (multitask$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:07

-	21	(((defin$5 allocat$5 suggest$5 giv$5 assign$5) near5 (execut$5 run$5 process$5) near5 (time (time adj slice) duration period) near (process$5 task$5 applications program$5 procedur$5)) and (multitask$5)) and ((lock) near5 (procedur$5 process$5 routine$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:08
-	2	(((defin$5 allocat$5 suggest$5 giv$5 assign$5) near5 (execut$5 run$5 process$5) near5 (time (time adj slice) duration period) near (process$5 task$5 applications program$5 procedur$5)) and (multitask$5)) and (((context adj switch) same (deplay$5 near10 (interrupt$4 or Exception$5))) or ((multitask$5 (multi adj3 task$5)) same ((delay$4 imprecise$5) near10 (interrupt$5 or exception$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 15:13
-	2	4251684.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 15:46
-	4	709/$.ccls. and ((plurality) near3 (process$5 procedur$5) near5 (assign$5 belong$5 associat$5 connect$5 join$5) same ((independent individual) near10 (CPU processor$5)) and ((process$5 complet$5) near3 (without) near3 (interrupt$5 exception$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 14:09
-	2	718/$.ccls. and ((plurality) near3 (process$5 procedur$5) near5 (assign$5 belong$5 associat$5 connect$5 join$5) same ((independent individual) near10 (CPU processor$5)) and ((process$5 complet$5) near3 (without) near3 (interrupt$5 exception$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:43

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

◆IEEE

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore* ®
RELEASE 1.8

IEEE *Xplore*®
1 Million Documents
1 Million Users
And Growing

Help   FAQ   Terms   IEEE Peer Review   **Quick Links**   ▼   » |

Welcome to IEEE *Xplore*®

○- **Home**
○- **What Can
   I Access?**
○- **Log-out**

Tables of Contents

○- **Journals
   & Magazines**
○- **Conference
   Proceedings**
○- **Standards**

Search

○- **By Author**
○- **Basic**
○- **Advanced**

Member Services

○- **Join IEEE**
○- **Establish IEEE
   Web Account**
○- **Access the
   IEEE Member
   Digital Library**

IEEE Enterprise

○- **Access the
   IEEE Enterprise
   File Cabinet**

Try our New Full-text Search Prototype **GO**   Help

1) Enter keywords in one or more text boxes.
2) Select the fields to search for each keyword.
3) Select search operators when using multiple keywords.
4) Limit the results by selecting Search Options.
5) Click Search. See Search Examples

| parallel processing | **In:** | All Fields | ▼ |

And ▼

| process class | **In:** | All Fields | ▼ |

And ▼

| without interrupt | **In:** | All Fields | ▼ |

Search   Clear

Note: This function returns plural and suffixed forms of the keyword(s).

Search Options:
Select publication types:

☑ IEEE Journals
☑ IEE Journals
☑ IEEE Conference proceedings
☑ IEE Conference proceedings
☑ IEEE Standards

Select years to search:

From year: All ▼ to Present

Organize search results by:

Sort by: Relevance ▼
In: Descending ▼ order
List 15 ▼ Results per page

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE   ◆IEEE

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore*®
RELEASE 1.8

IEEE *Xplore*®
1 Million Documents
1 Million Users
...And Growing

Help   FAQ   Terms   IEEE Peer Review   Quick Links   ▼   » Se.

Welcome to IEEE *Xplore*®

◯ Home
◯ What Can
   I Access?
◯ Log-out

Tables of Contents

◯ Journals
   & Magazines
◯ Conference
   Proceedings
◯ Standards

Search

◯ By Author
◯ Basic
◯ Advanced

Member Services

◯ Join IEEE
◯ Establish IEEE
   Web Account
◯ Access the
   IEEE Member
   Digital Library

IEEE Enterprise

◯ Access the
   IEEE Enterprise
   File Cabinet

Your search matched **0** of **1053485** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

| parallel processing<and>process class<and>withou | Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard
▤ = Your access to full-text

Results:
No documents matched your query.

🖶 Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

P⊗RTAL

US Patent & Trademark Office

Nothing Found

Your search for **+parallel +processing +delayed +interrput +process +class** did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

      sales offices

  You can also enter a full question or concept in plain language.

      Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

      John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

      "museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

      museum +art

- Exclude pages by using a - if a search term must not appear on a page.

      museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

      museum +"natural history" dinosaur -Chicago

Useful downloads: Adobe Acrobat   QuickTime   Windows Media Player   Real Player